AUTHOR INDEX TO VOLUME 17

Al-Ohaly, A. A., 221

Cecati, C., 1
Chiricozzi, E., 1
Chowdhury, B. H., 315, 359
Christensen, G. S., 203
Ciccarella, G., 1

Dias, L. G., 15

Eldhemy, S. A., 295
El-Hawary, M. E., 15
Elrazaz, Z., 221

Fantin, J., 259
Feng, F., 155
Fouad, A. A., 65

Gabsi, M. K., 167
Girgis, A. A., 75

Hamdan, H. M. A., 283
Haque, M. H., 343
Holmes, P. G., 329
Hope, G. S., 53
Huang, C.-H., 155
Huang, C. L., 269

Jacob, D., 125

Kamano, T., 29

Lécrivain, M., 167
Liu, C. T., 269

Makram, E. B., 75
Malik, O. P., 53
Miyagi, H., 43
Moo, C. S., 269
Mueller, V., 183

Nwankpa, C. O., 233

O'Grady, M. G., 379
Orlowska-Kowalska, T., 139

Pahalawaththa, N. C., 53
Pai, M. A., 379
Placko, D., 125

Qiu, J., 233
Quali, A., 259

Rahim, A. H. M. A., 343
Ramar, K., 93, 109

AUTHOR INDEX TO VOLUME 17

Al-Ohaly, A. A., 221

Cecati, C., 1
Chiricozzi, E., 1
Chowdhury, B. H., 315, 359
Christensen, G. S., 203
Ciccarella, G., 1

Dias, L. G., 15

Eldhemy, S. A., 295
El-Hawary, M. E., 15
Elrazaz, Z., 221

Fantin, J., 259
Feng, F., 155
Fouad, A. A., 65

Gabsi, M. K., 167
Girgis, A. A., 75

Hamdan, H. M. A., 283
Haque, M. H., 343
Holmes, P. G., 329
Hope, G. S., 53
Huang, C.-H., 155
Huang, C. L., 269

Jacob, D., 125

Kamano, T., 29

Lécrivain, M., 167
Liu, C. T., 269

Makram, E. B., 75
Malik, O. P., 53
Miyagi, H., 43
Moo, C. S., 269
Mueller, V., 183

Nwankpa, C. O., 233

O'Grady, M. G., 379
Orlowska-Kowalska, T., 139

Pahalawaththa, N. C., 53
Pai, M. A., 379
Placko, D., 125

Qiu, J., 233
Quali, A., 259

Rahim, A. H. M. A., 343
Ramar, K., 93, 109

Rialland, J. F., 167
Rouhi, A. H., 203

Salama, M. H., 329
Shahidehpour, S. M., 233
Shobair, A. I. A., 315, 359
Sol, C., 125
Soliman, S. A., 203
Srinivas, A., 109
Suzuki, T., 29

Thornton, K. P., 75

Velusami, S., 93
Villani, M., 183
Vittal, V., 65

Wei, C. C., 269

Yamashita, K., 43
Yu, Y.-X., 155

SUBJECT INDEX TO VOLUME 17

Adaptive control of a laboratory power system, 53
Adaptive control of D.C. actuators for robotics, 1
Analysis of the dynamic behaviour of the stepping motors by the digital simulation system DS-88, 183

Calculation and measurement of commutation currents in DC machines, 167
Class of load perturbations in reliability evaluation of electric power systems, 233

Design of decentralized dynamic load-frequency controllers with output feedback using pole placement technique, 93
Doubly-fed machine with passive rotor supply impedance operating as a VSCF generator—a slip dependent mathematical model, 329

Effect of series capacitor location on subsynchronous zones in power systems, 359

Hybrid model for dynamic simulation of solid-state controlled induction machines, 269

Improved reduced order model for induction machines, 283
Induction motor flux reconstruction via new reduced-order state observer, 139

Load frequency self-tuning control using a governor and voltage controls, 43
Load modeling in optimal power flow recognizing voltage limits, 15
Low sensitive position control system driven by two-phase servo motor, 29

Noise equivalent bandwidth approach to obtain reduced order models for power system excitation control, 65

Observability algorithm for sequential measurement processing in power system state estimation, 203
Optimal decentralized control for multimachine power systems, 259

Selection of shunt reactor locations to enhance system transient stability at light load operation, 221
Simple method of computing critical clearing time of a multimachine power system through evaluation of system rate of change of kinetic energy, 343
Solutions incorporating magnetic hysteresis to the subharmonic problem in power systems, 315

Study on reactive power steady-state security regions, 155
Suppression of low-frequency oscillations using static var compensator controls, 109

Theory of zero-sequence performance in induction machines without/with multiple armature reaction, 295

Thickness touchless measurements using eddy current sensors, 125
Transient analysis of capacitor switching in unbalanced distribution system with harmonic distortion, 75

Voltage collapse analysis with reactive generation and voltage dependent load constraints, 379